MAR 0 4 2003 W

SECUENCE LISTING

ቼሦቼwer, George J. Vilma, Yusbasiyan-Gurkan Schall, William D.

<120> DNA ENCODING CANINE VON WILLEBRAND FACTOR AND METHODS OF USE

<130> UMV-1026CPPCUS

<150 > 09/132,652 <151 > 1998-08-11

<150> PCT/US99/18153 <151> 1999-08-10

<160> 29

<170> PatentIn Ver. 2.0

<210> 1 <211> 8802 <212> DNA

<213> Canis familiaris

<400> 1

dattaaaagg tootggotgg gagotttttt ttgggaccag cactocatgt teaagggeaa 60 acaggggeea attaggatea atettitite titettitit taaaaaaaaa aattettees 120 actitiquasa eggasagtag tasatassag tagstetetg egaggasggi gaisastaat 180 datticters getregtgge agaigagies tuccagaett gigagggige tyciqqeter 240 ggoodtoath tiggooaggga aactifgtad aaaagggadt gffggaaggf dafigafigge 300 oogatgtago intotiggag gigadit al marabotti galgagagia tifalagotti 360 tgogggalat igragitado tootggorgg ggantgobag gaababtool imbahttat 420 ogggggttitt haadatgaba aaagagtgag biintoligtig tatotoggag aatititibiga 480 nathrahiri fili fir at haatdigtambal firmi diraddddaeb caaagbaton in rai dhinta 540 ndinitri nina ato opportudi ato ni ta da ponincia, opportudi italih a na aportudi onisa di da deponic mandamin and annagaa in gandanaa hagaa ann nagamin an an an agaa agaa ee Cauda Michael deadddandt, foda moleidau cheetaat da ei fotodeleag michet ddaneet. De define σ and σ deer all σ relations and σ relations σ respectively. A ϕ stategatiaa in magnagg tootgruppa ipagtipadag otootgaaja in jahinggt 900 diittyo man tarramaga <mark>tyyty</mark>janan taajoaliiti ytogoaniyt jiraalijjan 960 totaturanan harat maag gigatagaayta oo mitatada qitooto maa aananan maa 1026 agish at air ilisah kadaga ittat mogral nagatabah idahnah sara 6 mai nash 1080 adication contributed on a grantaina agrae or occurrence contribute calculation (114 dia printiti nati cati na alaba a di tigat dinina dida cana at ditudha cidat dibini bina cana dinina kininda 🗓

e distribuir de autoritation de la companie de moderna de la companie de la companie de la companie de la comp La administration de la companie de la co

stabggygag gabotgbaga tggattogga ogtobggyb aygstabtgg tgabgbtgta 1740 oroczywitar gwygggaaja ogtgoggoog tgyogggaar tawaac $oldsymbol{q}$ ggg $oldsymbol{q}$ g $oldsymbol{q}$ equality quarkerage and good group q and q are q and q and q are q and q and q are qgaagotqoto qyygyntgog agaacotgoa gaagnagban hybyathobt goagootbaa 1920 ocogogocay gipaqyttty oggaggaggo ytgogogoty otgacytoot ogaagttoga 1980 goodigissad djagogging giodicagod ciaogitycay aam jootot adgacqiotig 204σ etootgotee gaeggeagag aetgtettig eagegeegtig geess.taeg eegeageegt 2100 gycooggagy ggogtgcaca togogtggog ggagdeggge ttetytgege tgagetgese 2160 ccagggodag gtgtacetge agtgtgggae eenetgeaan atganitgte tetecetete 2220 ttaccogyag gaggactgoa utgaggtotg ottggaaago tgottotooc bobbagggot 2280 gtacctggat gagaggggag attgtgtgcc caaggeteag tgteeetgtt actatgatgg 2340 tgagatotti dagooogaag adatottoto agadoatoad addatgtgot abigtgagga 2400 tggetteatg eactgtacea baagtggagg cetgggaage btgetgeeca abbeggtget 2460 cagcagodoc oggitgicado goagbaasag gagodigido ligitoggodoc bealiggidaa 2520 gttggtgtgt coogetgata accegaggge tgaaggaetg gagtgtgeea aaacetgeea 2580 gaactatgac etgeagtgea tgageacagg etgtgtetee ggetgeetet geoegeaggg (640 catggtoogg datgaaaaca ggtgtgtggg gotggaaaga tgtoootgot tocabbaagg 2700 ccaagagtad generaggag aaaccgtgaa aattgactge Aacacttgtg tetgteggga /%60 coggaagigg accideaeag accaigtift tgatgeeaet tgetetgeea teggeatgge 2820 geactacets acottogacy gaetosagta cotytteest gyggagtyce agtatyttet (880 ggtgbaggat tabtgbggba gtaabbbtgg gabbttabgg atobtggtgg ggaabgaggg 1940 gtgcagotac ocotoagtga aatgcaagaa gogggtcaco atootggtgg aaggaggaga 2000 gattgaactg titgatgggg aggtgaatgt gaagaaaccc atgaaggatg agactcactt 2060 tgaggtggta gagtotggto agtabgtbat totgotgotg ggcaaggcab tototgtggt 9120 otgggaccae egectgagea totetgtgae eetgaagegg acataccagg ageaggtgtg 2180 tggcotgtgt gggaattttg atggcatoca gaacaatgat ttcaccagca gcagcotcca 3240 aatagaagaa gaccctgtgg actttgggaa ttoctggaaa gtgaacccgc agtgtgccga 3300 caccaagaaa gtaccactgg actcatcccc tgccgtctgc cacaacaaca tcatgaagca 2360 gacgatggtg gattcctcct gcaggatcct caccagtgat attitccagg actgcaacag 1420 gotggtggac cotgagodat tootggadat ttgdatotad gadaettgdt cotgtgagto 3480 cattggggae tgeacetget tetgtgaeae eattgetget tangneeaeg tetgtgeeca 3540 quatggcaan qtgqtagoot ggaggacago cacattotqt concagaatt gogaggaqoq 1600 gaatotooad gagaatgggt atgagtgtga gtygogotat aadagotgtg coootgootg :660 toucatourg typocagoadd degagodact ggdutgoddi gincagigtg tigaaggiig 5720 coatgogran (godoscoag ggaasatest ggatgagnit fignagabet gbategaess 378° tgaaqantgt notytgtgtg aggtggotgg togtogotiq gornbaggaa agaaaatbat 3840 ottgaannin aytyadootg agbactgooa aaittytaat tytyatgyty toaacttoad 3900 ototaayynn todayayaac ooggaagtyt tofdytynnn onahadaty gooddattou 3960 If it already to that at the additional parameter A is the contract of A is the A in Aresident in the deposit datable to improve dealth above in the earth at impression and additional content of the content of th t baadt dit di aadd intit dit dim bodhat i dat boardan in dialaat it ii cirabaabis 114 dat ondratid od trigt dat dat bale attainna hall nad tronnelle od hittainat hall ad tronaladat. All innada a a mala cinnin na dalam nina indondranam cina nina dinnadicina di dala dina nidicinada na ambacili 4, x gungun mengangan pagangkangan dalam mengan mengan mengangan dalah dike dagoonggaa girgtiit agoa ittigoootigat olatqatiggan aginaggago ootoaaggat 4360 qqiliqqaat iliqqidigot atgtqqaqqq ootqaaqaaq aaqaaaqtda tigtdatbob 4440 tiptipti tati cidigeri traligi erzageettaa igita paterera tiiti tata pada lageaggeetti 4500 to diagrams and in the first of the district conditions are districtly becomes a single-conditional $A^{(1)} \epsilon$. traticala mai nomitrati da processión de cereba caldea em de el cema mera de caldea a experiedado. Aso, internal matter consistent to exercise the state of a separate to the energy and the consistency of the

Control of the second of the se

tyssaatgig saggagsigg agaagattqy siggsssaat goosssates isatesatya 5160 otttgagatg stocctcyag aggeteetga thiggtgeta cayaygtget gefetggaga 5220 ggggdtgdag atouddadou totdddddau dwcagattgd agedagwddd tggatgtggt 5230 cotoctoctg gatggotott coagoattoc agottotiae titigatgaaa tgaagagott 5340 caccaagget titatiteaa gagetaatat agggeeoogg eteaeteaag tyteggtget 54,00 gaaatatqqa agbatbaabba btatbgatgt gabttygaat gtaqbbtatq agaaagtoba 54%0tttastgags stigtggass tsatgdagsa ggagggaggs cscagogaaa tiggggatge 55.0 tttgagettt geogtgegat atgicacete agaagteeat ggtgeeagge eeggageete $55\,\mathrm{M}_\odot$ gaaagoggtg gttatoetag toacagatgt otoogtggat teagtggatg otgcagoega 5640 ggddgddaga todaaccgag tgabagtytt bodbattyga atoggggato gytacagtya 57 🕦 ggcccagetg ageagottgg baggocbaaa ggetggetce aatatggtaa ggctccageg 57%0 aattgaaqac etececaecg tggccaecct gggaaattee ttetteeaca agctgtgete 58.0 tgggtttgat agagtttgog tggatgagga tgggaatgag aagaggooog gggatgtotg 58-0 gaeettgeea gaeeagtgee acabagtgae ttgeetgeea gatggeeaga bettgetgaa 5940 gagteategg gteaactgig accggggged aaggeetteg tgeeceaatg gesagecees 60 ± 0 totcaggota gaggagacot gtggotgoog otggacotgt cootgtgtgt goatgggcag 60+0 ototacoogg cacaloglya oottigatgg goagaattic aagotgacig goagotgite 61/0gtatgtoota tittoaaaaoa aggagoagga ootgyaggig attotooaga atggigootg 61-0 cagoootggg gogaaggaga cotgoatgaa atooattgag gtgaagcatg acggeotete 6240agttgagete cacagtgaca tgcagatgac agtgaatggg agactagtet ccateccata 63:0 tgtgggtgga gacatggaag toaatgttta tgggaccatc atgtatgagg toagattcaa 63%0 ocatottggo cacatottoa battoacece coaaaacaat gagttecago tgcagoteag 6410 soccaggacs titigoticga agacatatgg tototgtggg atotgtqatg agaacggagc 64+0 caatgactte attetgaggg atgggaeagt caecacagae tggaaggeae teatecagga $6540\,$ atggacceta cagcagetty ggaagacate ecageetyte catgaggage agtyteetyt 66/9stoogaatto ttooactgoo aggtootoot otoagaattg tttgoogagt gocacaaggt 6640 cotogotica goodcotttt atgesatgig deagwooyae agitigecacu egaagaaagt 67.00 gtgtgaggeg attgeetigt atgeeraest etginggade aaaggggiet gigtggadig $67\cdot0$ gaggaggado aattictgig ciatginaig tecaccatee eiggigtaca accaeigiga 6840 gcatggetge coteggetet gtgaaggeaa tacaagetee tgtggggaee aaceetegga 6900 aggetgette tgeececcaa accaagteat getggaaggt agetgtgtee eegaggagge 6960 otytadosag igdateageg aggatygagi hoggbachag tinoitggaaa esiggginse 70.0 agespaceag estigosaga totgoaegtg esteagtigg eghaaggten actglaegtt 7050 goagoootgo cocacagooa aagetoocae otgtiggeeeg tigtigaagtigi ecogecticeg 7140 oragaabgba gitgragtigot gorogyagta oyagtigtigtig tigtigarittigg tigagotigtiga 7200 cotgoddog gtgodtocot gogaagatgg notodagatg advotgadda atodtggoga $72\pi0$ gtqoagasis aasttoasot gtgootgoag gaaggatgaa tgcagasgg; aqtoscoges 7320 of of Latinia incuracinaga iconoquecet if oquaadast inaufigefigtid latigaqtatiga i7380 for the first and dearth displayed in a major page more different from the read distribution of the conintroduction to a first a north or hid discreption of objects as a north of decision and an area of discretized inang dalam na dalabah mindi malah dalam menghiningan dalam negarah menghilaga adalah menghilaga kendiran kela toda did a talanto di tribidi na di gritto a mitra in di nimborato, da a di mala di combini di da ami Peri gt gtott ginna it hturst gt.g. amgt.ggt.sain it ggt.sainna org.gggarain innagt.stina 1774 of agalagals intriget at a altegraph to protigenear countries to meatine and 78000 tifto gagig laagjaagagij tid tigtgoa la majagjaat lijtid omigin loomajetjaa Mak With the Model property of the Automorphic continuous particular continuous property and $\mathcal{D}_{\mathcal{C}}$ alastront dat dicator dat stodio obtaina anno dichrodint dina cholori dichrodidt, dicidadi nation in electric

o de transferio de la contrata de da de la deserva de la desta de la contrata de la defensa de la composition Catalisa de da de de de matrica de material de deserva de desta de la composition de la defensa de la decembra La transferio de la composition de la

<211> 2813 <212> PRT <213> Canis familiaris

<1000-2

Met Ser Pro Thr Arg Leu Val Arg Val Leu Leu Ala Leu Ala Leu Ile 1 5 10 15

Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr Val Gly Arg Ser Ser Met 20 25 30

Ata Arg Cys Ser Leu Leu Gly Gly Asp Phe Ile Asn Thr Phe Asp Glu 35 40 45

Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser Tyr Leu Leu Ala Gly Asp 50 55 60

Cys Gln Glu His Ser Ile Ser Leu Ile Gly Gly Phe Gln Asn Asp Lys 55 70 75 80

Ang Val Ser Leu Ser Val Tyr Leu Gly Glu Phe Phe Asp Ile His Leu 85 90 95

Phe Val Asn Gly Thr Met Leu Gln Gly Thr Gln Ser Ile Ser Met Pro 100 105 110

Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala Glu Ala Gly Tyr Tyr Lys 115 120 125

Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala Arg Ile Asp Gly Asn Gly 130 135 140

Acts The Win Massiew Lew Ser Acp Ara Tyr The Acts Dye The Myr Sty 145

Let Cys Sty Ash Phe Ash The Phe A a Str Asp Phe Lys Thr Gin 165 17. 175

Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp Phe Ala Ash Ser Trp Ala 180 185 190

Let derive a Migratia din Argunya ipo Argunyi da karanga ing din den derive a $\mathcal{L}_{\mathcal{A}}$

- Val Asp Pro Glu Pro Phe Val Ala Leu Cys Glu Arg Thr Leu Cys Thr 250 255
- Cys Val Jin Gly Met Glu Cys Pro Cys Ala Val Leu Leu Glu Tyr Ala 260 265 270
- Arg Ala Cys Ala Gl
n Gly Ile Val Leu Tyr Gly Tr
p Thr Asp His 275 280 265
- Ser Val Cys Arg Pro Ala Cys Pro Ala Gly Met Glu Tyr Lys Glu Cys 290 295 300
- Val Ser Pro Cys Thr Arg Thr Cys Gln Ser Leu His Val Lys Glu Val 305 310 315 320
- Cys Gln Glu Gln Cys Val Asp Gly Cys Ser Cys Pro Glu Gly Gln Leu 325 330 335
- Leu Asp Glu Gly His Cys Val Gly Ser Ala Glu Cys Ser Cys Val His $340 \hspace{1cm} 345 \hspace{1cm} 350$
- Ala Gly Gir. Arg Tyr Pro Pro Gly Ala Ser Leu Leu Gl
n Asp Cys His 355 360 365
- Thr Cys Ile Cys Arg Asn Ser Leu Trp Ile Cys Ser Asn Glu Glu Cys 370 375 380
- Pro Gly Glu Cys Leu Val Thr Gly Gln Ser His Pho Lys Ser Phe Asp 385 390 395 400
- Asn Arg Tyr Phe Thr Phe Ser Gly Val Cys His Tyr Leu Leu Ala Gl
n 405 410 415
- Asp Cys Gln Asp His Thr Phc Ser Val Val Ile Giu Thr Val Gln Cys 420 440
- Ala Asp Asp Leu Asp Ala Val Cys Thr Arg Ser Val Thr Val Arg Leu 435 440 445
- Her coupy Hills Hills Also Wer Data Val. Lyonda a Lyon Also Holy Holy Holy Val. 40.
- Ar Met Aug Hly Hin Aug IIIe Hin IIe Er IIeu Ie i Hin Hly Aug Iee 486
- And The Gin His Thr Val Met Ala Ser Val Ary Den Ser Tyr Gly Glo 485
- Aug 18 1 Am Met Aug wer Aug Was Arm Styl Arm 18 1 18 m Was Imm 18 5

- Leu Val Glu Asp. Phe Gly Asn Ala Trp Lys Leu Leu Gly Ala Cys Glu 560

 Asn Lou Gln Lys Gln His Arg Asp Pro Cys Ser Leu Asn Pro Arg Gln 575

 Ala Arg Phe Ala Glu Glu Ala Cys Ala Leu Leu Thr Ser Ser Lys Phe 580

 Glu Pro Cys His Arg Ala Val Gly Pro Gln Pro Tyr Val Gln Asn Cys 595

 Leu Tyr Asp Val Cys Ser Cys Ser Asp Gly Arg Asp Cys Leu Cys Ser 610

 Ala Val Ala Asn Tyr Ala Ala Ala Ala Val Gly Phe Cys Ala Leu Ser Cys Pro Gln Gly Gln 655

 Ala Trp Arg Glu Pro Gly Phe Cys Ala Leu Ser Cys Pro Gln Gly Gln 655
- Val Tyr Leu Gln Cys Gly Thr Pro Cys Asn Met Thr Cys Leu Ser Leu
- Ser Tyr Pro Glu Glu Asp Cys Asr. Glu Val Cys Leu Glu Ser Cys Phe 675 680 680
- Ser Pro Pro Gly Leu Tyr Leu Asp Glu Arg Gly Asp Cys Val Pro Lys 690 695 700
- Ala Gln Cys Pro Cys Tyr Tyr Asp Gly Glu Ile Phe Gln Pro Glu Asp 700 710 715 720
- Ile Fhe Ser Asp His His Thr Met Cys Tyr Cys Glu Asp Gly Phe Met 775 -735
- His Cys Thr Thr Ser Gly Gly Leu Gly Ser Leu Leu Pro Asn Pro Val740 -745 -750
- The Charles of Art type Hill Art Charles Art Charles in Charles of Art
- Er Er Met Val tyd ted Val Tyd Er Ala Adp Adm Er Arr Ala Vid Thi
- Gly Leu Glu Cys Ala Lys Thr Cys Gln Ash Tyr Asp Leu Gln Cys Met 1981 - 795 - 900
- Were than Edge Type Tail Were Edge Type Deal Type Erro Edde Edge More Tail Aria

Cys Val Cys Arg Asp Arg Lys Trp Thr Cys Thr Asp His Val Cys Asp 850

Ala Thr Cys Ser Ala Ile Gly Met Ala His Tyr Leu Thr Phe Asp Gly 865 870 875 880

Leu Lys Tyr Leu Phe Pro Gly Glu Cys Gln Tyr Val Leu Val Gln Asp 885 890 895

Tyr Cys Gly Ser Asr. Pro Gly Thr Leu Arg Ile Leu Val Gly Asn Glu 900 905 910

Gly Cys Ser Tyr Pro Ser Val Lys Cys Lys Lys Arg Val Thr Ile Leu 915 920 925

Val Glu Gly Gly Glu Ile Glu Leu Phe Asp Gly Glu Val Asn Val Lys 930 935 940

Lys Pro Met Lys Asp Glu Thr H:s Phe Glu Val Val Glu Ser Gly Gln 945 950 955 960

Tyr Val Ile Leu Leu Gly Lys Ala Leu Ser Val Val Trp Asp His 965 970 975

Arg Leu Ser Ile Ser Val Thr Leu Lys Arg Thr Tyr Gln Glu Gln Val 980 985 990

Cys Gly Leu Cys Gly Asn Phe Asp Gly Ile Gln Asn Asn Asp Phe Thr 995 1000 1005

Ser Ser Ser Leu Glin Ile Gliu Gliu Asp Pro Val Asp Phe Gly Ash Ser 1010 1020

Trp Lys Val Asn Pro Gln Cys Ala Asp Thr Lys Lys Val Pro Leu Asp 1025 1030 1040

Ser Ser Pro Ala Val Cys His Asn Asn Ile Met Lys Gin Thr Met Val 1045 1050 1055

Arm that the figure Arma like local Throther Arma like time than Arma type Arm

Arribes Val Asp Erro Win Erro Ehe Leu Ago Lie Mos Lie Tyr Aspotter 1988 - 198

Tys fer tys Gla Ner Ile Sly Asp Cys Thr Cys Bhe Cys Asp Thr Ile [199]

Als Als Tyr A.s Hir Tall ty. Als Als Hir Ty Dys Tall Tal Als In

- Cys Pro Ile Thr Cys Gln His Pro Glu Pro Leu Ala Cys Pro Val Gln 1155 1160 1165
- Cys Val Glu Gly Cys His Ala His Cys Pro Pro Gly Lys Ile Leu Asp 1170 1180
- Glu Leu Leu Gln Thr Cys Ile Asp Pro Glu Asp Cys Pro Val Cys Glu 1185 1190 1195 1200
- Val Ala Gly Arg Arg Leu Ala Pro Gly Lys Lys Ile Ile Leu Asn Pro 1205 1210 1215
- Ser Asp Pro Glu His Cys Gln Ile Cys Asn Cys Asp Gly Val Asn Phe 1220 1225 1230
- Thr Cys Lys Ala Cys Arg Glu Pro Gly Ser Val Val Pro Pro Thr 1235 1240 1245
- Asp Gly Pro Ile Gly Ser Thr Thr Ser Tyr Val Glu Asp Thr Ser Glu 1250 1260
- Pro Pro Leu His Asp Phe His Cys Ser Arg Leu Leu Asp Leu Val Phe 1265 1270 1275 1280
- Leu Leu Asp Gly Ser Ser Lys Leu Ser Glu Asp Glu Phe Glu Val Leu 1285 1290 1295
- Lys Val Phe Val Val Gly Met Met Glu His Leu His Ile Ser Gln Lys 1300 1305 1310
- Arg Ile Arg Val Ala Val Val Glu Tyr His Asp Gly Ser His Ala Tyr 1315 - 1320 - 1325
- Ile Glu Leu Lys Asp Arg Lys Arg Pro Ser Glu Leu Arg Arg Ile Thr 1330 1340
- Ser Glm Val Lys Tyr Ala Gly Ser Glu Val Ala Ser Thr Ser Glu Val 1349 1350 1360 1365
- Is a Type Type The Theo Energian Tile Theo Mightyre Tile Angli Andréin (Element) (1987)
- Alader Aradie Alader Leuden Mer Alader Und Hinder Aradien 1892
- Les Ala Ary Ash Les Val Ary Tyr Val Gin Gly Les Lys Lys Lys 1895 - 1405
- Tal The Tal The Bro Tal Boy The Higher Big Alaster Leading ten

- Leu Cys Asp Leu Ala Fro Glu Ala Pro Ala Pro Thr Gln His Pro Fro 1460 1470
- Met Ala Gln Val Thr Val Gly Ser Glu Leu Gly Val Ser Ser Pro 1475 1480 1485
- Gly Pro Lys Arg Asn Ser Met Val Leu Asp Val Val Phe Val Leu Glu 1490 1500
- Gly Ser Asp Lys Ile Gly Glu Ala Ash Phe Ash Lys Ser Arg Glu Phe 1505 1510 1515 1520
- Met Glu Glu Val Ile Gln Arg Met Asp Val Gly Gln Asp Arg Ile His 1525 1530 1535
- Val Thr Val Leu Gln Tyr Ser Tyr Met Val Thr Val Glu Tyr Thr Phe 1540 1545 1550
- Ser Glu Ala Gln Ser Lys Gly Glu Val Leu Gln Gln Val Arg Asp Ile 1555 1560 1365
- Arg Tyr Arg Gly Gly Asn Arg Thr Asn Thr Gly Leu Ala Leu Gln Tyr 1570 1580
- Leu Ser Glu His Ser Phe Ser Val Ser Gln Gly Asp Arg Glu Gln Val 1585 1590 1595 1600
- Pro Asn Leu Val Tyr Met Val Thr Gly Asn Pro Ala Ser Asp Glu Ile 1605 1610 1615
- Lys Arg Met Pro Gly Asp Ile Gln Val Val Pro Ile Gly Val Gly Pro 1620 1630
- His Ala Asn Val Gln Glu Leu Glu Lys Ile Gly Trp Pro Asn Ala Pro 1635 - 1640 - 1645
- The Leu The His Asp Phe Glu Met Leu Pro Arg Giu Ala Pro Asp Leu 1650 1660 1660
- Validaed An Arabiyo Tyo Yerlay Riy Riy bed Ain lie ta Thr bed 1887 - 1875 - 1875
- We near the Er. Asymptotic for the Fr. two Asymptotic tension is a large $16.9 \pm 1.0 \pm 1.$
- Asp Gly Ger Ser Ser the Pro Ala Ser Tyr Phe Asp Glu Met Lys Ger 1777 - 1777
- The Through Alastne lie Ser Art AlasAch II. Ny Er-Art Let Inn

- Met Gl
n Glu Gly Gly Pro Ser Glu 11e Gly Asp Ala Leu Ser Fhe
 1765 \$1775 \$1775
- Ala Val Arg Tyr Val Thr Ser Glu Val His Gly Ala Arg Fro Gly Ala 1780 1785 1790
- Ser Lys Ala Val Val Ile Leu Val Thr Asp Val Ser Val Asp Ser Val 1795 1800 1805
- Asp Ala Ala Glu Ala Ala Arg Ser Ash Arg Val Thr Val Phe Pro 1810 1815 1820
- Ile Gly Ile Gly Asp Arg Tyr Ser Glu Ala Gln Leu Ser Ser Leu Ala 1825 1830 1835 1840
- Gly Pro Lys Ala Gly Ser Asn Met Val Arg Leu Gin Arg Ile Glu Asp 1845 1850 1855
- Leu Pro Thr Val Ala Thr Leu Gly Asn Ser Phe Phe His Lys Leu Cys 1860 1865 1870
- Ser Gly Phe Asp Arg Val Cys Val Asp Glu Asp Gly Asn Glu Lys Arg 1875 1880 1885
- Pro Gly Asp Val Trp Thr Leu Pro Asp Gln Cys His Thr Val Thr Cys 1390 1895 1900
- Leu Pro Asp Gly Gln Thr Leu Leu Lys Ser His Arg Val Asn Cys Asp 1905 1910 1915 1920
- Arg Gly Pro Arg Pro Ser Cys Pro Asn Gly Gln Pro Pro Leu Arg Val 1925 1930 1935
- Glu Glu Thr Cys Gly Cys Arg Trp Thr Cys Pro Cys Val Cys Met Gly 1940 1945 1950
- Ser Ser Thr Arg His Ile Val Thr Phe Asp Gly Gln Asn Phe Lys Leu 1955 1960 1965
- This Roy Ger Tyo Ger Tyo Mal Les Ene Hin Ach Tyo Roy An Ang Leg 1977 - 1977
- The Mal lie less the Am. thy Ala Cyclies $E_{\rm M}$ by Ala by: the first less 1290
- Cys Met Lys Ser Ile Glu Val Lys His Asp Gly Leu Ser Val Glu Leu 1995 (1995)
- However Agriculture West Time Val. Amostly Armited Val. Dec 110 Er

- Asn Asn Glu Fhe Gln Leu Gln Leu Ser Pro Arg Thr Phe Ala Ser Lys 2065 2070 2080
- Thr Tyr Gly Leu Cys Gly IIe Cys Asp Glu Ash Gly Ala Ash Asp Phe 2095 2096
- Ile Leu Arg Asp Gly Thr Val Thr Thr Asp Trp Lys Ala Leu Ile Gin 2100 2105 2110
- Glu Trp Thr Val Gln Gln Leu Gly Lys Thr Ser Gln Pro Val His Glu 2115 2120 2125
- Glu Gln Cys Pro Val Ser Glu Phe Phe His Cys Gln Val Leu Leu Ser 2130 2135 2140
- Glu Leu Phe Ala Glu Cys His Lys Val Leu Ala Pro Ala Thr Phe Tyr 2145 2150 2160
- Ala Met Cys Gln Pro Asp Ser Cys His Pro Lys Lys Val Cys Glu Ala 2165 2170 2175
- Ile Ala Leu Tyr Ala His Leu Cys Arg Thr Lys Gly Val Cys Val Asp 2180 2185 2190
- Trp Arg Arg Ala Asn Fhe Cys Ala Met Ser Cys Pro Pro Ser Leu Val 2195 2200 2205
- Tyr Asn His Cys Glu His Gly Cys Pro Arg Leu Cys Glu Gly Asn Thr 2210 2215 2220
- Ser Ser Cys Gly Asp Gln Pro Ser Glu Gly Cys Phe Cys Pro Pro Asn 2240 2235 2240
- Gin Val Met Leu Glu Gly Ser Cys Val Pro Glu Glu Ala Cys Thr Gln 2245 2250 2255
- Cys Ile Ser Glu Asp Gly Val Arg His Gln Phe Leu Glu Thr Trp Val -2260 -2265 -2270
- Fro Ala His Ain Fro Mys Ain Lie Mys ThroMys Lea Mer Aig Ara Lys Lie T
- Tall Admin type The Is , who has stype has The Alasi go Alasia of the stype of Lie \mathbb{R}^n
- May Fro Cys Glo Val Ala Ara Den Ara Gin Ash Ala Val Elin Tys Cys 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888
- In the Type Alambye Valuetye Alambya Valuete tye Alambya Incilin

- Arg Glu Ser Pro Pro Ser Cys Pro Pro His Arg Thr Pro Ala Leu Arg 2370 2375 2380
- Lys Thr Gln Cys Cys Asp Glu Tyr Glu Cys Ala Cys Asn Cys Val Asn 2385 2390 2395 2400
- Ser Thr Val Ser Cys Pro Leu Gly Tyr Leu Ala Ser Ala Val Thr Asn 2405 2410 2415
- Asp Cys Gly Cys Thr Thr Thr Thr Cys Phe Pro Asp Lys Val Cys Val 2420 2425 2430
- His Arg Gly Thr IIe Tyr Pro Val Gly Gln Phe Trp Glu Glu Ala Cys $2435 \hspace{1.5cm} 2440 \hspace{1.5cm} 2445$
- Asp Val Cys Thr Cys Thr Asp Leu Glu Asp Ser Val Met Gly Leu Arg 2450 2460
- Val Ala Gin Cys Ser Gln Lys Pro Cys Glu Asp Asn Cys Leu Ser Gly 2465 2470 2475 2480
- Phe Thr Tyr Val Leu His Glu Gly Glu Cys Cys Gly Arg Cys Leu Pro 2485 2490 2495
- Ser Ala Cys Glu Vai Val Thr Gly Ser Pro Arg Gly Asp Ala Gln Ser 2500 2505 2510
- His Trp Lys Asn Val Gly Ser His Trp Ala Ser Fro Asp Asn Pro Cys 2515 2520 2525
- Leu Ile Asn Glu Cys Val Arg Val Lys Glu Glu Val Phe Val Gln Gin 2530 2540
- Arg Ash Val Ser Cys Pro Gln Leu Ash Val Pro Thr Cys Pro Thr Gly 2545 2580 2585 2560
- Him for the 2 A. C. A. a type in a linear App. Hay line line line only for early the line of the line
- Lya Den Lea Mat. The Algorian type The Through Aris type The Mai for $\mathbb{R}^{n\times n}$
- Val Gly Val 110 der Gly Phe Lys Lea Gla Gly Art Lys Thr Thr Cycl 1911 (1911)
- And Alasty, the like they bye type the the bye And the tip the type

Ser His Phe Cys Lys Val Ash Glu Ary Gly Glu Tyr Ile Trp Glu Lys 2680 Arg Val Thr Gly Cys Fre Pro Phe Asp Glu His Lys Cys Leu Ala Glu 2690 2695 2700 Gly Gly Lys Ile Met Lys Ile Pro Gly Thr Cys Cys Asp Thr Cys Glu 2705 -2710 -2720Glu Fro Glu Cys Lys Asp Ile Ile Ala Lys Leu Gln Arg Val Lys Val 2730 Gly Asp Cys Lys Ser Glu Glu Glu Val Asp Ile His Tyr Cys Glu Gly 2740 2745 2750 Lys Cys Ala Ser Lys Ala Val Tyr Ser Ile His Met Glu Asp Val Gln 2760 Asp Gln Cys Ser Cys Cys Ser Pro Thr Gln Thr Glu Pro Met Gln Val 2770 2775 2780 Ala Leu Arg Cys Thr Asn Gly Ser Leu Ile Tyr His Glu Ile Leu Asn 2785 2790 Ala Ile Glu Cys Arg Cys Ser Pro Arg Lys Cys Ser Lys 2905 2810 <210> 3 <211> 60 <212> DNA <2139 Camis familiaris <400.43 adjulyithic cassatoris sessing grip in the crying but the griss section $p_{ij}
eq 0$ <210: 4 <211 60 %.1. iNA
%.1% family ramiting it can't can't diffic di caat di dha chat dimo dha ddidha to caa'a dha a' dha a' dha a' dha cha a' dha cha a' dha cha a' dha cha dha dha dha dha dha dha a' dha cha a' d A1111 60 +210 + PNA Builte Camin tarillarin

```
₹400 × 6
gaggqagoog gggoocagag abagqaaqta aatgoqooca qqgaaagtga gtqqbaggac 60
3210 - 7
<211 > 60
3211 DNA
<213 Canis familiaris
<400% 7
tggqtgaaag duccatatoo ogantuctig tuaaggagan tittgraccaa ggtoccagee 60
<210> 3
<211> 60
<212> DNA
<213> Canis familiaris
<400> 3
otggagcaig gggitggggt tggaaggtgg ayygacatgg aggaaatgca tgagaaagcac 60
<210> €
<211> 58
<212> DNA
<213> Canis familiaris
<400> 3
gettdetgag etecteettg teedaccage atdtedatge detacgeetd caatggge - 58
<210> 10
<211 - 24
<2120- DNA
<213> Canis familiaris
<400 - 10
                                                                   24
aaatgacaaa aqaqtqaqco qqto
< 210 \times 11
<2112 24
<2125 DNA
+ Sirk Camid familiario
* 11 * 11
- 212 - FET
· 21 · · Caris : amiliario
```

```
<210 - 13
<211> 9
<212: FRT
<213> Canis familiaris
<400> 13
Ile Ser Met Pro Tyr Ala Ser Asn Gly
<210> 14
<211> 31
<212> DNA
<213> Canis familiaris
<400> 14
aggacaactg cotgootgto ggtgagtggg g
                                                                 31
<210> 15
<211> 31
<212> DNA
<213> Canis familiaris
<400> 15
                                                                31
aggadaa it , hotgootgto agtgagtg;; ;
<210> 16
<211>-8
<212> DNA
<213> Canis familiaris
<400> 16
aggtrag:
<210: 17
11.........
+2110 + 18
<.11 - 1=
kirik ina
Kole tanin parlibarne
```

```
5400 - 19
gagantitgt egees
                                                                      15
~211.35 2E)
<2112 16
<212> DNA
<213: Canis familiaris
3400 - 20
                                                                      16
gagedittig togodo
<210 > 21
<211> 218
<212 > DNA
<213> Canis familiaris
<400> 21
gtootgtggg agcagtgooa gotootgaag agtgootogg tgtttgooog otgooacoog 60
stggtggace etgageettt tytegecetg tgtgaaagga etetgtgeae etgtgteeag 120
gggatggagt geeettgtge ggteeteetg gagtaegees gggeetgtge eeageaggga 180
attgtgctgt acggctggac cgaccacagc gtctgccg
<210> 22
√211> 73
<212> PRT
<213> Canis familiaris
<400> 22
Val Leu Trp Glu Gln Cys Gln Leu Leu Lys Ser Ala Ser Val Phe Ala
Ara Cys His Pro Leu Val Asp Pro Glu Pro The Val Ala Leu Cys Glu
Arg Thr Leu Cys Thr Cys Val Glim Gly Met Glim Cys Ero Cys Ala Val
                              40
Lou Lou Glu Tyr Ala Arg Ala Cys Ala Gln Gln Gly He Val Lou Tyr
Ny Ing Tao Ang His Ivan Valonyo Ara-
0.11 0.27
0.11 0.1
0.11 0.11A
Audien Cambridan Hillardin
```

<220>	
<221> mist reature	
<222> 3-9	
<223> n a,c,t, or a	
<400> 24	1 1
genninning c	11
<210> 25	
<211> 18	
<212> DNA	
<213> Canis familiaris	
<400>-25	18
gtggteggte eageegta	10
<210: 26	
<211> 20	
<212> DNA	
<213> Canis familiaris	
<400:- 26	20
totadootgt gggodagtto	20
<210>-27	
<211> 19	
<212> DNA	
<213> Canis familiaris	
<400 > 27	1.9
gabranotica baggitagat	
<210> 28	
<211>-21	
K212> DNA	
<213 - Caris familiaris	
<400× 2+	
et drod a tradición de estado estado en la composición de la composición de la composición de la composición d	
oracle State CNA	
ente Canie familiaris	
+400× 2 +	
to approximate a constitue at the cotton and constitue at the constitue at	•